



POLYBEST PUTTY FILLER

General Description:

POLYBEST PUTTY FILLER is based on unsaturated polyester resin pigment and selected fillers. It is developed to fill cracks, joints and uneven surfaces of cars, and furniture, etc.

Characteristics and Physical Properties:

Colour	Grey, Beige.
Specific Gravity	1.3 Kg. / Lit.
Flash Point	22 ⁰ C
Shelf Life	6 months in sealed container.

Method of Application:

A. For Cars:

- The surface must be free from oil, dirt and other contaminants.
- It must be well primed either with epoxy or polyurethane primer.
- Add 2% of catalyst, mix and scrape polyester putty evenly.
- Sand the applied putty by water - proof sandpaper intermittently with water soaking for a better and smooth finish.

B. For Furniture:

- The surface must be primed by nitro, polyurethane and polyester primer.
- Apply polyester putty on cracks, joints and uneven surfaces.
- Sand with sandpaper and continue the rest procedure.

Drying Time:

Hard	1 - 2 min.
Sandable	5 - 10 min.

Storage:

POLYBEST PUTTY FILLER should be kept in cool place below 25⁰C. Shelf life minimum 6 months in a tightly closed container.

Cleaning of Tools:

All tools should be cleaned with Wash Thinner or P.E. Thinner # 125 as soon as possible.

Packing:

Available in 1 Lit & 4 Lit. (Usg.)

Physiological Hazards:

POLYBEST PUTTY FILLER does not contain dangerous solvents, nevertheless, good ventilation in working room is recommended as well as the use of safety tools and equipment be used. POLYBEST PUTTY FILLER is flammable and harmful if swallowed. If contact with eyes or skin occurs, wash well with fresh water and seek immediate medical advise.

The above information is given to the best of our knowledge based on laboratory test and practical experience. However, as the paint is often used under condition beyond our control, we cannot guarantee anything but the quality of the paint itself. We reserve the right to change the given data without prior notice.

FACTORY : P.O. BOX NO: 23085, SAJJAH INDUSTRIAL AREA, SHARJAH, U.A.E
TEL : 06 - 5311777, FAX 06 - 5311330
SHOWROOM : P.O. BOX NO: 23085, INDUSTRIAL AREA, SHARJAH, U.A.E
TEL : 06 - 5328533, FAX 06 - 5328610
Website : <http://www.maspaints.com/> Email : masuae@emirates.net.ae



D-111/2004