



# MATERIAL SAFETY DATA SHEET

## MAS CRACKLED CLEAR

MSDS

EFFECTIVE DATE : JULY 2005

### I. IDENTIFICATION

PRODCUT NAME

MAS CRACKLED CLEAR

CHEMICAL FAMILY

POLYVINYL DERIVATIVE, ADDITIVE AND WATER

HAZARD CLASSICATION

N/A

CAS # CAS NAME

NOT AVAILABLE (MIXTURE)

### II. PHYSICAL DATA

BOILING POINT

100<sup>0</sup> C (760 mm Hg)

FREEZING POINT

0<sup>0</sup>C

SPECIFIC GRAVITY

0.950

VAPOUR PRESSURE

17.5 mm Hg at 20 deg C

VAPOUR DENSITY

1.0

SOLUBILITY IN WATER

100% by weight

PERCENT SOLIDS

30% wt.

APPEARANCE

Clear viscous liquid

ODOUR

Slight ammoniacal

### III. INGREDIENTS

MATERIALS	%by Wt.	TLV	HAZARD
Polymer + Additives	30 +/- 2	-	Not currently known
Ammonia	0.4%	25 ppm	

### IV. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT

Not applicable (Acqueous System)

FLAMMABLE LIMITS

Not Available (Acqueous System)

EXTINGUISHING MEDIA

The adhesive will not burn until water has evaporated.

For residual solids : use water spray, carbon

Dioxide, dry chemical alcohol-type or universal – type foams applied by  
Manufacturer's recommended techniques.

SPECIAL FIRE FIGHTING

PROCEDURE

None

EXPLOSION HAZARDS

None

## V. HEALTH HAZARD DATA

ACCUTE EFFECTS OF OVER EXPOSURE	
SWALLOWING	None currently known. May cause some nausea
SKIN ABSORPTION	None currently known
INHALATION	None currently known
SKIN CONTACT	May cause transient reddening of skin
EYE CONTACT	None currently known
CHRONIC EFFECTS OF OVER EXPOSURE	None currently known
OTHER HEALTH HAZARDS	None currently known

## EMERGENCY AND FIRST AID PROCEDURES

SWALLOWING	No harmful effects expected
SKIN	Wash with soap and water
INHALATION	No emergency care anticipated
EYES	Flush with water for atleast 15 minutes
NOTES TO PHYSICIAN	Toxicology studies of similar is of no specific antidote. Treatment of overexposure should be directed at the control of symptoms And the clinical conditions.

## VI. REACTIVITY DATA

STABILITY	Stable
CONDITION TO AVOID	None
INCOMPATIBILITY (Materials to avoid)	None
HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS	When water evaporates, polymer can burn and produce carbon dioxide and Carbon monoxide.
HAZARDOUS POLYMERIZATION	Will not occur

## VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED	Major spills should be collected for disposal. Minor spills may be flushed to sewer if local regulated permit.
WASTE DISPOSAL METHOD regulations.	Bury in suitable landfill where permitted under appropriate govt.

## VIII. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)	Not required
VENTILATION	General (mechanical) room ventilation is expected to be satisfactory
PROTECTIVE GLOVES	Recommended
EYE PROTECTION	Safety Glasses
OTHER PROTECTIVE EQUIPMENT	Eye bath

## IX. SPECIAL PRECAUTIONS

Avoid breathing vapours.  
Keep containers closed

Use with adequate ventilation system

**FOR INDUSTRIAL USE ONLY.**

OTHERS PRECAUTIONS

NONE

---

**MAS PAINTS & CHEMICALS INDUSTRY.**

**P.O. BOX NO: 23085,**

**SHARJAH,**

**U.A.E**

**TELEPHONE NO: 00971 – 6 – 5311777**

**FAX NO: 00971 – 6 - 5311330**

IN CASE OF EMERGENCY, CONTACT THE NEAREST SALES / TECHNICAL OFFICE IN THE COUNTRY.

NOTE: PLEASE READ AND UNDERSTAND CURRENT MATERIAL SAFETY DATA SHEET.