



# MATERIAL SAFETY DATA SHEET

## HYDROSEAL (PU WATER BASED BASECOAT)

MSDS

EFFECTIVE DATE : Sunday, 06 May 2007

### I. IDENTIFICATION

PRODUCT NAME

HYDROSEAL (PU WATER BASED BASECOAT)

CHEMICAL FAMILY

ACRYLIC RESIN DISPERSION IN WATER.

HAZARD CLASSIFICATION

N/A

CAS #

: 34590-94-8 (2 METHOXYMETHYLETHOXY) PROPANOL – 1.4%

EINECS

: 252-104-2

CAS

: 5131-66-8 (3 BUTOXYPROPAN –2 –OL) – Xi; R 36/38 – 1.8%

EINECS

: 225-878-4

ADDITIONAL INFORMATION

: FOR THE WORDING OF THE LISTED RISK PHRASES REFER TO SECTION 16.

### II. PHYSICAL DATA

SPECIFIC GRAVITY

1.0

VAPOUR PRESSURE

23 hPa @ 23<sup>0</sup>

VAPOUR DENSITY

1.0

SOLUBILITY IN WATER

100% by weight

PERCENT SOLIDS

34% wt.

APPEARANCE

Transparent liquid

ODOUR

Characteristic

FLASH POINT

>100<sup>0</sup>C

### III. INGREDIENTS

MATERIALS	%by Wt.	TLV	HAZARD
Acrylic Resin	80%	-	Not currently known
Water	10%	10 ppm	Irritant
Additives	10%		

### IV. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT

Not applicable (Acqueous System)

FLAMMABLE LIMITS

Not Available (Acqueous System)

EXTINGUISHING MEDIA

The adhesive will not burn until water has evaporated.

For residual solids : use water spray, carbon

Dioxide, dry chemical alcohol-type or universal – type foams applied by Manufacturer's recommended techniques.

## SPECIAL FIRE FIGHTING

PROCEDURE	None
EXPLOSION HAZARDS	None

## V. HEALTH HAZARD DATA

### ACCUTE EFFECTS OF OVER EXPOSURE

SWALLOWING	None currently known. May cause some nausea
SKIN ABSORPTION	None currently known
INHALATION	None currently known
SKIN CONTACT	May cause transient reddening of skin
EYE CONTACT	None currently known
CHRONIC EFFECTS OF OVER EXPOSURE	None currently known
OTHER HEALTH HAZARDS	None currently known

## EMERGENCY AND FIRST AID PROCEDURES

SWALLOWING	No harmful effects expected
SKIN	Wash with soap and water
INHALATION	No emergency care anticipated
EYES	Flush with water for atleast 15 minutes
NOTES TO PHYSICIAN	Toxicology studies of similar is of no specific antidote. Treatment of overexposure should be directed at the control of symptoms And the clinical conditions.

## VI. REACTIVITY DATA

STABILITY	Stable
CONDITION TO AVOID	None
INCOMPATIBILITY (Materials to avoid)	None
HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS	When water evaporates, polymer can burn and produce carbon dioxide and Carbon monoxide.
HAZARDOUS POLYMERIZATION	Will not occur

## VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED	Major spills should be collected for disposal. Minor spills may be flushed to sewer if local regulated permit.
WASTE DISPOSAL METHOD regulations.	Bury in suitable landfill where permitted under appropriate govt.

## VIII. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)	Not required
VENTILATION	General (mechanical) room ventilation is expected to be satisfactory
PROTECTIVE GLOVES	Recommended

EYE PROTECTION  
OTHER PROTECTIVE EQUIPMENT

Safety Glasses  
Eye bath

#### **IX. SPECIAL PRECAUTIONS**

Avoid breathing vapours.  
Keep containers closed  
Use with adequate ventilation system

#### **FOR INDUSTRIAL USE ONLY.**

OTHERS PRECAUTIONS

NONE

---

#### **MAS PAINTS & CHEMICALS INDUSTRY.**

**P.O. BOX NO: 23085,**

**SHARJAH,**

**U.A.E**

**TELEPHONE NO: 00971 – 6 – 5311777**

**FAX NO: 00971 – 6 - 5311330**

IN CASE OF EMERGENCY, CONTACT THE NEAREST SALES / TECHNICAL OFFICE IN THE COUNTRY.

NOTE: PLEASE READ AND UNDERSTAND CURRENT MATERIAL SAFETY DATA SHEET.