



MATERIAL SAFETY DATA SHEET

(MASTIC ROYAL SILK 2000)

MSDS

EFFECTIVE DATE : AUGUST 2002

I. IDENTIFICATION

PRODCUT NAME
CHEMICAL FAMILY
HAZARD CLASSICATION
CAS # CAS NAME

MASTIC ROYAL SILK (DIFFERENT COLORS)
POLYVINYL ACRYLIC COPOLYMER, PIGMENTS & FILLERS
MAS
NOT AVAILABLE (MIXTURE)

II. PHYSICAL DATA

BOILING POINT
FREEZING POINT
SPECIFIC GRAVITY
VAPOUR PRESSURE
VAPOUR DENSITY
SOLUBILITY IN WATER
PERCENT SOLIDS
EVAPORATION RATE
(Butyl Acetate = 1)
APPEARANCE
AND DOOR

100⁰ C (760 mm Hg)
0⁰C
1.32
17.5 mm Hg at 20 deg C
1.0
100% by weight
54% wt.
1
White viscous liquid
Slight ammoniacal

III. INGREDIENTS

MATERIALS	%by Wt.	TLV	HAZARD
Polymer + Additives	54 +/- 2	-	Not currently known
Alkyl acrylate	trace	10 ppm	Irritant
Styrene Monomer	trace	50 ppm	Irritant
Ammonia	0.4%	100 ppm (STEL) 25 ppm	
Pigments	20%	35 ppm (STEL) By Weight Non	

IV. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT	Not applicable (Acqueous System)
FLAMMABLE LIMITS	Not Available (Acqueous System)
EXTINGUISHING MEDIA	The adhesive will not burn until water has evaporated. For residual solids : use water spray, carbon Dioxide, dry chemical alcohol-type or universal – type foams applied by Manufacturer's recommended techniques.
SPECIAL FIRE FIGHTING PROCEDURE	None
EXPLOSION HAZARDS	None

V. HEALTH HAZARD DATA

ACCUTE EFFECTS OF OVER EXPOSURE SWALLOWING	None currently known. May cause some nausea
---	---

SKIN ABSORPTION	None currently known
INHALATION	None currently known
SKIN CONTACT	May cause transient reddening of skin
EYE CONTACT	None currently known
CHRONIC EFFECTS OF OVER EXPOSURE	None currently known
OTHER HEALTH HAZARDS	None currently known

EMERGENCY AND FIRST AID PROCEDURES

SWALLOWING	No harmful effects expected
SKIN	Wash with soap and water
INHALATION	No emergency care anticipated
EYES	Flush with water for atleast 15 minutes
NOTES TO PHYSICIAN	Toxicology studies of similar is of no specific antidote. Treatment of overexposure should be directed at the control of symptoms And the clinical conditions.

VI. REACTIVITY DATA

STABILITY	Stable
CONDITION TO AVOID	None
INCOMPATIBILITY (Materials to avoid)	None
HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS	When water evaporates, polymer can burn and produce carbon dioxide and Carbon monoxide.
HAZARDOUS POLYMERIZATION	Will not occur

VII. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IF MATERIAL IS SPILLED OR RELEASED	Major spills should be collected for disposal. Minor spills may be flushed to sewer if local regulated permit.
WASTE DISPOSAL METHOD	Bury in suitable landfill where permitted under appropriate govt. regulations.

VIII. SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (Specify type)	Not required
VENTILATION	General (mechanical) room ventilation is expected to be satisfactory
PROTECTIVE GLOVES	Recommended
EYE PROTECTION	Safety Glasses
OTHER PROTECTIVE EQUIPMENT	Eye bath

IX. SPECIAL PRECAUTIONS

Avoid breathing vapours.

Keep containers closed

Use with adequate ventilation system

FOR INDUSTRIAL USE ONLY.

OTHERS PRECAUTIONS

NONE

MAS PAINTS & CHEMICALS INDUSTRY.

P.O. BOX NO: 23085,

SHARJAH,

U.A.E

TELEPHONE NO: 00971 – 6 – 5440566

FAX NO: 00971 – 6 - 5440596

IN CASE OF EMERGENCY, CONTACT THE NEAREST SALES / TECHNICAL OFFICE IN THE COUNTRY.

NOTE: PLEASE READ AND UNDERSTAND CURRENT MATERIAL SAFETY DATA SHEET.